

Agent	eGFR	HbA1c<53	HbA1c 53-57	HbA1c 58-74	HbA1c 75+
Metformin	(should stop if eGFR <30)	No Change	No change	No change	No change
Sulphonylurea * (e.g.Gliclazide)	eGFR <45	No Change	No change	No Change	No Change
	eGFR 45-59	Reduce SU by 50%	No Change	No change	No Change
	eGFR 60+	Stop SU	Reduce SU by 50%	Reduce SU by 50%	Continue usual dose
DPP4i (gliptins)	eGFR <45	No change	No Change	No Change	No Change
	eGFR 45-59	Stop DPP4i	? Stop DPP4i	No Change	No Change
	eGFR 60+	Stop DPP4i	Stop DPP4i	No Change	No Change
Pioglitazone	CI in heart failure so stop	CI in heart failure so stop	CI in heart failure so stop	CI in heart failure so stop	CI in heart failure so stop
GLP-1 **	eGFR <45	No Change	No Change	No Change	No Change
	eGFR 45-59	GP Review ? stop	No Change	No Change	No Change
	eGFR 60+	GP/Specialist review re stopping	GP/specialist review re stopping	No Change	No Change
Insulin*** Will require specialist advice	eGFR <45	No change	No Change	No Change	No Change
	eGFR 45-59	Reduce dose	?Reduce dose	No Change	No Change
	eGFR 60+	Reduce dose	Reduce dose	Reduce dose	No change